

NSD

ALARMS

Manual Alarm (MS body) Model-FBUS



► Technical Specification / DATA SHEET

● Model	FBUS (ms body)
● AC Voltage	240V A.C.
● DC Voltage	24 V D.C.
● Current	300 M.A.
● Sound O/P	100 dB
● Material	Mild steel
● Weight	980 gms.
● Dimension (mm)	250H x130Wx60D
● Colour	Red
● Speakar	NSD/ Philips
● Sound Level	90-110 db @1mtr

NSD

ALARMS

HOOTER (M.S. BODY)



► Technical Specification / DATA SHEET

● Model	Hooter (ms body)
● AC Voltage	100V A.C.
● DC Voltage	24 V D.C.
● Current	300 M.A.
● Sound O/P	100 dB
● Material	Mild steel
● Weight	450 gms.
● Dimension (mm)	130x190x80
● Colour	Red
● Speakar	NSD/ Philips
● Sound Level	90-110 db @1mtr

NSD

ALARMS

Hooter With Flasher (MS Body)



► Technical Specification / DATA SHEET

• Model	MS17FLASH
• AC Voltage	24 Vdc/240Vac
• DC Voltage	24 V D.C.
• Current	401ma @24Vdc
• Sound O/P	100 dB
• Material	Mild steel
• Weight	700 gms.
• Dimension (mm)	130x190x80
• Colour	Red
• Speakar	NSD/ Philips
• Sound Level	90-110 db @1mtr
• Flash	Ultra high glow LED
• Flash frequency	60Hz

NSD

ALARMS

HOOTER With STROBE (Plastic BODY)



► Technical Specification / DATA SHEET

• Model	PS17FLASH
• AC Voltage	24 Vdc
• DC Voltage	24 V D.C.
• Current	400ma @24Vdc
• Sound O/P	100 dB
• Material	ABS Plastic
• Weight	370 gms.
• Dimension (mm)	130x130x80
• Colour	Red
• Speakar	Pizzo Buzzer
• Sound Level	90-110 db @1mtr
• Flash	LED Flash
• Flash frequency	30Hz

NSD

ALARMS

HOOTER (ABS BODY)




► Technical Specification / DATA SHEET

● Model	Hooter (Plastic)
● AC Voltage	100V A.C.
● DC Voltage	24 V D.C.
● Current	300 M.A.
● Sound O/P	100 dB
● Material	Mild steel
● Weight	450 gms.
● Dimension (mm)	130x190x80
● Colour	Red
● Speaker	NSD/ Philips
● Sound Level	90-110 db @1mtr

NSD

ALARMS

HOOTER (Plastic Body)



► Technical Specification / DATA SHEET

● Model	ABS-WH17/ABS-17
● AC Voltage	100V A.C.
● DC Voltage	24 V D.C.
● Current	300 M.A.
● Sound O/P	100 dB
● Material	ABS Polymer
● Weight	450 gms.
● Dimension (mm)	130x190x80
● Colour	Red
● Speaker	NSD/ Philips
● Sound Level	90-110 db @1mtr

MANUAL CALL BOX(M.S. BODY)



► Technical Specification / DATA SHEET

• Model	Metal (M.S)						
• Voltage	24V DC						
• Current	<table border="0"> <tr> <td style="border-right: 1px solid black; padding-right: 5px;">Alarm</td> <td>30 M.A.</td> <td>30 M.A.</td> </tr> <tr> <td style="border-right: 1px solid black; padding-right: 5px;">Normal</td> <td>NA</td> <td>NA</td> </tr> </table>	Alarm	30 M.A.	30 M.A.	Normal	NA	NA
Alarm	30 M.A.	30 M.A.					
Normal	NA	NA					
• Material	MS Mild Steel						
• Weight	140 gms.						
• Colour	Red						
• Dimension	120x95x55mm						

MANUAL CALL BOX(ABS BODY)



► **Technical Specification / DATA SHEET**

• Model	ABS (Polymer)
• Voltage	24V DC
• Current	{ Alarm 30 M.A. Normal NA NA
• Material	ABS Polymer
• Weight	140 gms.
• Colour	Red
• Dimension	120x95x55mm

RESPONSE INDICATOR (ABS)



DATA SHEET

Model	M.S.Back	M.S.	M.S. (Mini)	P.S.(Mini)
Power	24 V DC	24 V DC	24 V DC	24 V DC
Current	5 mA	5 mA	5 mA	5 mA
Material	Polymer+M.S.	M.S. Sheet	M.S. Sheet	Polymer
Weight	300 Gms	350 Gms	250 Gms	50 Gms
Dimension (mm)	65 x 55 x 35	75 x 100 x 50	65 x 65 x 40	65 x 55 x 35
Colour	White	White	White/Grey	Red/White

NSD

ALARMS


Talk-Back (MS Body)



► Technical Specification / DATA SHEET

● Model	TB-II (Metal)
● Power listen	100V A.C.
● Power Talk	24 V D.C.
● Current	50 ma Max
● Sound O/P	3 watt
● Material	Mild steel
● Weight	450 gms.
● Dimension (mm)	225x110x60
● Colour	Red
● Speaker	NSD/ Philips
● Sound Level	70-80db @1mtr

KEY BOX





Dealers Name & Address

A large, empty rectangular box with a double-line black border, intended for the dealer's name and address.

Model No : Talk -Back System

SR No :

Sale date :

HO :485/13 & 14 Sarpanch Ka bara Mandawali
Fazelpur Delhi-110092
Delhi Office : Pocket -D Flat N0-301 Ground Floor
Mayur Vihar Phase -2 New Delhi
Sales Branch : Mumbai, Kanpur, Ahmdabad,
Email : mailanilrawat@gmail.com
nationaldevices@gmail.com
Web site : www.all-safe.in
www.agnialarm.com